



Color LaserJet Enterprise M750 Printer series

M750n • M750dn • M750xh

Print large-volumes of professional-quality color documents on a wide range of paper sizes. Maintain productivity with intuitive, easy-to-use management tools. Conveniently print directly from laptop PCs, smartphones or tablets.¹

Print speed (letter):³ Up to 30 ppm (black); Up to 30 ppm (color)

Print resolution: Black (best): Up to 600 x 600 dpi; Color (best): Up to 600 x 600 dpi

Standard connectivity: 2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network; 2 Internal USB Host

Duty cycle:⁹ Up to 120,000 pages

Duplex print options: Automatic, standard (Only on M750dn/xh)

Mobile printing capability:¹⁰ HP ePrint, Apple AirPrint™



HP Color LaserJet Enterprise M750n



HP Color LaserJet Enterprise M750dn

Enable color printing from postcards to posters

- Print on a wide variety of paper sizes—from 3 x 5-inch postcards to 12.6 x 17.72-inch SRA3 media.
- Produce high-volume print jobs without frequent paper changes, with a paper capacity up to 2,350 sheets.⁶
- Improve efficiency with a printer that automatically recognizes paper size and type for best printing results.
- Increase efficiency and versatility with automatic two-sided printing.³

Get great color prints plus uncompromised speed

- Print documents rapidly—up to 30 ppm letter/A4.⁷
- Get a first page out in as fast as 10 seconds with Instant-on Technology.
- Get consistent print quality automatically on text, images and graphics with HP EasyColor and HP ImageREt.
- Achieve sharp contrast and vivid color with the high-gloss toner in Original HP LaserJet print cartridges.

Count on a printer that is easy to use and manage

- Enable easy printing from smartphones, tablets and laptops at work, home, or on-the-go.¹
- Easily integrate enterprise-ready gigabit networking and robust security options into your printing fleet.
- Supervise printing fleets remotely using intuitive management tools. Control color printing usage and costs.
- Quickly print using the easy access USB port. Safeguard data with the High-Performance Secure Hard Disk.⁵

Minimize your environmental impact

- Reduce packaging waste with pre-installed toner cartridges—no boxes, wrappers or manuals.
- Reduce environmental impact and use up to 50 percent less paper with two-sided printing.³
- Get free and easy recycling—cartridges returned through HP Planet Partners are recycled responsibly.²
- Reduce the environmental impact of excess shipping materials with HP ClearView packaging.⁴



HP EcoSolutions

- Reduce energy use with Instant-on Technology.¹
- Avoid reprints with the consistency of Original HP toners plus HP Professional Color Technologies.
- Reduce paper use by up to 50% using automatic two-sided printing.²
- Convenient cartridge recycling in 53 countries.

Join HP in more sustainable printing
hp.com/ecosolutions



¹ Compared with traditional fusing.

² Automatic two-sided printing is available on the dn and xh models only.




HP Color LaserJet Enterprise M750xh

¹ Local printing requires mobile device and printer to be on the same network. Remote printing requires an Internet connection to an HP Web-connected printer. App or software and HP ePrint account registration may also be required. Wireless broadband use requires separately purchased service contract for mobile devices. Check with service provider for coverage and availability in your area. See hp.com/go/mobileprinting for more details. ² Program availability varies. HP print cartridge return and recycling is currently available in more than 50 countries and territories around the world through the HP Planet Partners program. For more information, or to request return envelopes and bulk collection boxes, visit hp.com/recycle. ³ Automatic two-sided printing is available on the dn and xh model only. ⁴ HP ClearView Packaging is available on the hx model only. ⁵ HP High-Performance Secure Hard Disk is available only for the xh model. ⁶ Optional 500-sheet paper tray and 3 x 500-sheet paper tray are available and sold separately for the n and dn models. ⁷ Measured using ISO/IEC 24734, excludes first set of test documents. For more information see hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. ⁸ Measured using ISO/IEC 24734, excludes first set of test documents. For more information see hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. ⁹ Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPS to satisfy the demands of connected individuals or groups. ¹⁰ Requires an Internet connection to the printer. Feature works with any connected Internet- and e-mail-capable device. Requires HP Web Services Account Registration. Print times may vary. For a list of supported documents, and image types, see hp.com/go/eprintcenter. And for additional solutions, see hp.com/go/mobile-printing-solutions. Supports the following devices running iOS 4.2 or later: iPad®, iPad® 2, iPhone® (3GS or later), iPod touch® (3rd generation or later). Works with HP's AirPrint™ enabled printers and requires the printer be connected to the same network as your iOS device. Wireless performance is dependent upon physical environment and distance from the access point. AirPrint, the AirPrint Logo, iPad, iPhone, and iPod touch are trademarks of Apple® Inc., registered in the U.S. and other countries.

HP Color LaserJet Enterprise M750 Printer series

- 1 300-sheet top output bin
- 2 Intuitive control panel with 4-line color display
- 3 Easy-access USB port for walk-up printing
- 4 100-sheet multipurpose tray supports paper sizes up to 12 x 18 (SRA3)
- 5 One-door access to the easy-to-install print cartridges
- 6 Built-in automatic two-sided printing
- 7 250-sheet tray 2
- 8 500-sheet tray 3
- 9 Three 500-sheet input trays with print stand for 2,350-sheet total input capacity
- 10 HP High-Performance Secure Hard Disk
- 11 1 GB RAM and an 800 MHz processor
- 12 Two internal host USB 2.0 type ports for third-party solutions
- 13 Hi-Speed USB 2.0 port for third-party solutions
- 14 Hi-Speed USB 2.0 printing port
- 15 Access port for optional Kensington-style lock
- 16 HP Jetdirect Gigabit Ethernet embedded print server

HP Color LaserJet Enterprise M750xh shown



Series at a glance



	M750n	M750dn	M750xh
Part number	D3L08A	D3L09A	D3L10A
100-sheet multipurpose tray 1	✓	✓	✓
250-sheet input tray 2	✓	✓	✓
500-sheet input tray 3	✓	✓	✓
500-sheet input tray 4	Optional	Optional	Not available
3 x 500-sheet feeder with rolling stand	Optional	Optional	✓
Automatic two-sided printing	Not available	✓	✓
HP High-Performance Secure Hard Disk	Not available	Not available	✓

Top features

Print color documents up to SRA3 (12.6 x 17.72-inch) with paper capacity for high-volume jobs.

Capitalize on the printing potential of a high-capacity, compact workgroup workhorse. Produce large amounts of color documents on a wide variety of paper sizes—from postcards to SRA3.

Use a powerful color printer that compliments your professional image. Achieve outstanding quality printing without sacrificing speed. Advanced color features and Original HP LaserJet print cartridges help ensure consistent color.

Seamlessly integrate this versatile printer into a fleet. Robust management and security tools help ensure productivity and smooth, reliable performance. Mobile printing options enable convenient printing from smartphones, tablets and PCs.¹

Meet your environmental goals, while boosting your bottom line. HP technology helps you reduce your office's energy and paper usage. Plus, this printer is designed to use less space and create less packaging waste.

Get the most out of your printer with HP accessories, supplies, and services.

HP services

Downtime can have serious consequences, so HP provides support beyond the standard warranty. You benefit from reduced risk, maximized uptime, predictable service delivery and no unbudgeted repair costs. Choose from:

Optimized Care (optimum performance and stability):

4 hr Onsite Support, Maintenance Kit Replacement Service, Installation with Network Configuration Service

Standard Care (high level of uptime):

Next Business Day Onsite Support, Maintenance Kit Replacement Service, Installation with Network Configuration Service

Basic Care (minimum recommended support):

Next Business Day Onsite Support

4 hr Onsite Support: Onsite support within four hours after a service call received within the coverage window

Next Business Day Onsite Support: Onsite service the next business day after the service call is received

Maintenance Kit Replacement Service: Onsite replacement of your printer's maintenance kit including parts, materials, and labor

Installation with Network Configuration Service: Assembly, network configuration, and basic administrator familiarization

For more information about HP Care Pack, HP Contractual, or HP Managed Print Services, visit hp.com/go/printservices

Printers

HP Color LaserJet Enterprise M750n	D3L08A
HP Color LaserJet Enterprise M750dn	D3L09A
HP Color LaserJet Enterprise M750xh	D3L10A

HP LaserJet Print Cartridges²

HP 650A Black LaserJet Toner Cartridge (~13,500 pages)	CE270A
HP 650A Cyan LaserJet Toner Cartridge (~15,000 pages)	CE271A
HP 650A Yellow LaserJet Toner Cartridge (~15,000 pages)	CE272A
HP 650A Magenta LaserJet Toner Cartridge (~15,000 pages)	CE273A

Accessories

HP Color LaserJet 500-sheet Paper Tray	CE860A
HP Color LaserJet 3x500-sheet Paper Feeder and Stand	CE725A
HP Jetdirect 2700w USB Wireless Print Server	J8026A
HP Jetdirect ew2500 Wireless Print Server	J8021A

HP Service and Support

HP 3-year Next Business Day + DMR Color LaserJet CP5525/M750 Support	UX963E
HP 4-year Next Business Day + DMR Color LaserJet CP5525/M750 Support	UX899E
HP 5-year Next Business Day + DMR Color LaserJet CP5525/M750 Support	UX880E
HP 3-year 4h9x5 Color LaserJet CP5525/M750 Hardware Support	UX965E
HP 4-year 4h9x5 Color LaserJet CP5525/M750 Hardware Support	UV281E
HP 5-year 4h9x5 Color LaserJet CP5525/M750 Hardware Support	UV282E
HP 1-year Post Warranty Next Business Day + DMR Color LaserJet CP5525/M750 Support	UV270PE
HP 1-year Post Warranty 4h 9x5 Color LaserJet CP5525/M750 Hardware	UV272PE

To know what HP Care Pack services exist for your product, please visit Care Pack Central at hp.com/go/cpc

Paper

hp.com/go/paper

Software

HP Web Jetadmin: hp.com/go/wja
HP Universal Print Driver: hp.com/go/upd
HP Install Network Printer Wizard: hp.com/go/inpw_sw

¹ Local printing requires mobile device and printer to be on the same network. Remote printing requires an Internet connection to an HP Web-connected printer. App or software and HP ePrint account registration may also be required. Wireless broadband use requires separately purchased service contract for mobile devices. Check with service provider for coverage and availability in your area. See hp.com/go/mobileprinting for more details. ² Average color composite (C/M/Y) and black declared yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see hp.com/go/learnaboutsupplies

HP Color LaserJet Enterprise M750 Printer series

Technical specifications	HP Color LaserJet Enterprise M750n (D3L08A)	HP Color LaserJet Enterprise M750dn (D3L09A)	HP Color LaserJet Enterprise M750xh (D3L10A)
Duplex print options	Manual (driver support provided)		Automatic (standard)
Print speed ¹	Black (normal, letter): Up to 30 ppm; Color (normal, letter): Up to 30 ppm		
First page out	Black (letter, ready): As fast as 10 sec; Color (letter, ready): As fast as 10 sec		
Print technology	Laser		
Print resolution	Black (best): Up to 600 x 600 dpi; Color (best): Up to 600 x 600 dpi		
Print resolution technologies	HP ImageREt 3600		
Printer smart software features	HP ePrint, Open Extensibility Platform, FutureSmart Firmware, HP Easy Color, duplex printing, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs		
HP ePrint capability	Yes		
Mobile printing capability ²	HP ePrint, Apple AirPrint™		
Control panel	2.03-inch (5.2 cm), 4-line Color Graphic Display (CGD) & control panel; 7 job control buttons (Menu, Select, Stop, Back/Exit, Help, Up arrow, Down arrow); 3 LED status lights (Attention, Data, Ready); Enhanced help with animated graphics; Easy-Access USB port with cover		
Processor speed	800 MHz		
Display	2.03-inch (5.2 cm), 4-line Color Graphic Display (CGD)		
Memory	Standard/Maximum: 1 GB		
Durability ratings	Duty cycle: ³ Up to 120,000 pages; Recommended monthly page volume: ⁴ Up to 2,500 to 13,000 pages		
Paper			
Input	100-sheet multipurpose tray, 250-sheet input tray 2, 500-sheet input tray 3	100-sheet multipurpose tray, 250-sheet input tray 2, 500-sheet input tray 3, automatic two-sided printing	100-sheet multipurpose tray, 250-sheet input tray 2, 500-sheet input trays 3, 4, 5, 6 automatic two-sided printing
Output	300-sheet output bin		
Media types	Paper (extra heavy, glossy, heavy, heavy glossy, high gloss images, intermediate, light, plain, recycle, tough), envelopes, labels, cardstock, transparencies		
Media sizes	Tray 1: Statement, 3 x 5 index card, 4 x 6 index card, 5 x 7 index card, 5 x 8 index card, Letter, Letter-R, Legal, Executive, 11 x 17 in; 8.5 x 13, 12 x 18, Envelopes: #9, #10, Monarch; Tray 2, 3: Letter, Letter-R, Legal, Executive, 8.5 x 13, 11 x 17 in; Optional tray 4, 5, 6: Letter, Letter-R, Legal, Executive, 8.5 x 13, 11 x 17 in		Tray 1: Statement, 3 x 5 index card, 4 x 6 index card, 5 x 7 index card, 5 x 8 index card, Letter, Letter-R, Legal, Executive, 11 x 17 in; 8.5 x 13, 12 x 18, Envelopes: #9, #10, Monarch; Tray 2, 3, 4, 5, 6: Letter, Letter-R, Legal, Executive, 8.5 x 13, 11 x 17 in
Media weight	Tray 1: 16 to 58 lb bond; Tray 2, 3: up to 32 lb plain papers, up to 43 lb coated papers; Optional trays 4, 5, 6: up to 32 lb plain papers, up to 43 lb coated papers		Tray 1: 16 to 58 lb bond; Trays 2, 3, 4, 5, 6: up to 32 lb plain papers, up to 43 lb coated papers
Connectivity			
Interfaces	2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network; 2 Internal USB Host		
Languages	HP PCL 6, HP PCL 5 (HP PCL 5 driver available from the Web only), HP Postscript Level 3 emulation, native PDF printing (v 1.4), Apple AirPrint™		
Network capabilities	Via HP Jetdirect Ethernet embedded print server (standard) supports: 10Base-T, 100Base-Tx, 1000Base-T; 802.3az (EEE) support on Fast Ethernet and Gig Links; IPsec (standard); 802.11b/g/n wireless networking (optional)		
Network ready	Standard (built-in Gigabit Ethernet)		
Operating systems	Windows 8 (32-bit/64-bit), Windows 7 (32-bit/64-bit), Windows Vista (32-bit/64-bit), Windows XP (SP2 or higher) (32-bit/64-bit), Windows Server 2012 (64-bit), Windows Server 2008 (32-bit/64-bit), Windows Server 2008 R2 (64-bit), Windows Server 2003 (SP1 or higher) (32-bit/64-bit), Mac OS X version 10.6.8, 10.7.5 Lion, 10.8 Mountain Lion. For the latest operating system support see: AirPrint™ (support.apple.com/kb/ht4356); Android (android.com); Citrix and Windows Terminal Services (hp.com/go/upd); HP ePrint Software Driver (hp.com/go/eprintsoftware); Linux (hplip.net); Novell (novell.com/iprint); SAP device types (hp.com/go/sap/drivers); SAP Print (hp.com/go/sap/print); UNIX (hp.com/go/unix); UNIX Jetdirect (hp.com/go/jetdirectunix_software)		
Network protocols	IPv4/IPv6: Apple Bonjour Compatible (Mac OS v10.2.4 or higher), SNMPv1/v2c/v3, HTTP, HTTPS, FTP, TFTP, Port 9100, LPD, WS Discovery, IPP, Secure-IPP, IPsec/Firewall; IPv6: DHCPv6, MLDv1, ICMPv6; IPv4: Auto-IP, SLP, Telnet, IGMPv2, BOOTP/DHCP, WINS, IP Direct Mode, WS Print		
Security	Management security: SNMPv3, SSL/TLS, WPA2-Enterprise, 802.1X authentication (EAP- PEAP, EAP-TLS), IPP over TLS, IPsec/Firewall with Certificate, Pre-Shared Key Authentication, and Kerberos Authentication; Support for WJA-10 IPsec Configuration using IPsec Plug-in		
Dimensions (w x d x h)	21.4 x 23 x 18 in (544 x 586 x 465 mm) Maximum: 33 x 38.5 x 18 in (840 x 975 x 465 mm)	30 x 27 x 35 in (745 x 688 x 885 mm) Maximum: 33 x 38.5 x 35 in (840 x 975 x 885 mm)	
Weight	115.3 lb (52.4 kg)	182.6 lb (83 kg)	
Minimum system requirements	PC: Windows 10, Windows 8, Windows 7 (SP1 or higher), Windows Vista, Windows XP (SP2 or higher), Windows Server 2012 (64-bit), Windows Server 2008 R2 (64-bit), Windows Server 2008, Windows Server 2003 (SP1 or higher); 200 MB available hard disk space; CD-ROM or DVD drive, or Internet connection; Dedicated universal serial bus (USB 1.1 or 2.0), or network connection. Operating system compatible HW system requirements see http://www.microsoft.com Mac: Mac OS X v10.6.8, OS X 10.7.5 Lion, OS X 10.8 Mountain Lion; 1 GB of available hard-disk space; CD-ROM or DVD drive, or Internet connection; Dedicated universal serial bus (USB 1.1 or 2.0), or network connection (Operating system compatible hardware system requirements see apple.com)		
What's in the box	HP Color LaserJet Enterprise M750n printer; Print cartridges (1 each Black, Cyan, Yellow, Magenta); HP Color LaserJet 500-sheet input Tray; CDs containing device software and User's Guide; Documentation (including Getting Started Guides); Power cord	HP Color LaserJet Enterprise M750dn printer; Print cartridges (1 each Black, Cyan, Yellow, Magenta); HP Color LaserJet 500-sheet input Tray; CDs containing device software and User's Guide; Documentation (including Getting Started Guides); Power cord	HP Color LaserJet Enterprise M750xh printer; Print cartridges (1 each Black, Cyan, Yellow, Magenta); HP Color LaserJet 500-sheet input Tray; HP Color LaserJet 500-sheet feeder tray 4, 5, 6; CDs containing device software and User's Guide; Documentation (including Getting Started Guides); power cord
Warranty	One-year, next-business day, onsite warranty		

Environmental ranges

Temperature range	Operating: 59 to 81° F (15 to 27° C) Recommended: 63 to 77° F (17 to 25° C) Storage: 32 to 95° F (0 to 35° C)
Humidity range	Operating: 10 to 70% RH Recommended: 30 to 70% RH Non-operating: 10 to 90% RH

Acoustic⁴

Power emissions:	6.7 B(A)
Power emissions (ready):	5.0 B(A)
Pressure emissions bystander (active, printing):	50 dB(A)
Pressure emissions bystander (ready):	33 dB(A)

Power

Power supply type	Built-in power supply
Power supply required	110-volt input voltage: 110 to 127 VAC (+/- 10%), 50/60 Hz (+/- 2 Hz); 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50/60 Hz (+/- 2 Hz) (Not dual voltage, power supply varies by part number with # Option code identifier)

Power consumption ⁵	677.41 watts (Printing B&W), 654.92 watts (Printing Color), 59.46 watts (Ready), 9.09 watts (Sleep), 0.35 watts (Off)
Typical electricity consumption (TEC)	3.680 kWh/Week, 3.053 kWh/Week (Blue Angel)

Safety approvals and requirements

IEC 60950-1:2005 +A1; EN 60950-1: 2006 +A1:2009 +A1:2010 +A1:2011; IEC 60825-1:2007 (Class 1 Laser/Led Product); EN 60825-1:2007 (Class 1 Laser/LED Product); UL/cUL Listed (USA/Canada); GS Certificate (Germany, Europe); IEC 62479:2010; EN 62479:2010; Low Voltage Directive 2006/95/EC with CE Marking (Europe); other safety approvals as required by individual countries
--

Electromagnetic emission standard

CISPR 22:2008/EN 55022:2010 (Class A), EN 61000-3-2: 2006 +A1:2009 +A2:2009; EN 61000-3-3:2008; EN 55024:2010; FCC Title 47 CFR, Part 15 Class A(USA); ICES-003, Issue 4 (Canada); EMC Directive 2004/108/EC with CE Marking (Europe); other EMC approvals as required by individual countries
--

¹ Measured using ISO/IEC 24734, excludes first set of test documents. For more information see hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. ² Requires an Internet connection to the printer. Feature works with any connected Internet- and e-mail-capable device. Requires HP Web Services Account Registration. Print times may vary. For a list of supported documents, and image types, see hp.com/go/eprintcenter. And for additional solutions, see hp.com/go/mobile-printing-solutions. Supports the following devices running iOS 4.2 or later: iPad®, iPad® 2, iPhone® (3GS or later), iPod touch® (3rd generation or later). Works with HP's AirPrint™ enabled printers and requires the printer be connected to the same network as your iOS device. Wireless performance is dependent upon physical environment and distance from the access point. AirPrint, the AirPrint Logo, iPad, iPhone, and iPod touch are trademarks of Apple® Inc., registered in the U.S. and other countries. ³ Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups. ⁴ HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period. ⁵ Acoustic values are subject to change. For current information see hp.com/support. Configuration tested: base model, simplex printing, A4 paper at an average of 30 ppm. ⁶ Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty.



© Copyright 2013 - 2015 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. ENERGY STAR and the ENERGY STAR logo are registered U.S. marks. Windows is a registered trademark of Microsoft Corporation. AirPrint, iPad, iPhone, and iPod touch are trademarks of Apple Inc., registered in the U.S. and other countries.

To learn more, visit hp.com

November 2015, R5

